

Manual Supplement

Manual Title: 1744/1743 Users

Supplement Issue: **3**

Part Number: 2560353

Issue Date: 8/07

Print Date: April 2006

Page Count: 3

Revision/Date: 1, 6/06

This supplement contains information necessary to ensure the accuracy of the above manual.

Change #1


On page 7, replace Table 2 with the following:

Table 2. Standard Equipment

Equipment	Model/Part Number
Power Quality Logger	1744/1743
International IEC Power Plug Adapter Set	2441372
RS232 Cable, Red, Null-Modem	2540511
Shielded 4-Phase Flexi Set (15 A/150 A/1500 A/3000 A)	FS17XX
Dolphin Clip, Black (4x)	2540726
Color Coding Wire Clips	WC17XX
Soft Case	2715509
English Users Manual	2560353
CD with Users Manual (English, German, French, Spanish, Portuguese, Simplified Chinese, Italian), and PQ Log software (same languages as the manual)	2583493
Power Cord Adapter for paralalled connection to test leads	2651702
USB Adapter	2539565

Change #2

On page 4, add the following symbol to Table 1:

	Do not apply around or remove from the Hazardous Live conductors
---	--

On page 7, replace Table 3 with the following:


Table 3. Optional Accessories

Description	Accessory
I1A/10A CLAMP PQ3, 3-PHASE 1A/10A MINI CURRENT CLAMP SET FOR PQ	I1A/10A CLAMP PQ3
I1A/10A CLAMP PQ4, 4-PHASE 1A/10A MINI CURRENT CLAMP SET FOR PQ	I1A/10A CLAMP PQ4
I5A/50A CLAMP PQ3, 3-PHASE 5A/50A MINI CURRENT CLAMP SET FOR PQ	I5A/50A CLAMP PQ3
I5A/50A CLAMP PQ4, 4-PHASE 5A/50A MINI CURRENT CLAMP SET FOR PQ	I5A/50A CLAMP PQ4
I20/200A CLAMP PQ3, 3-PHASE 20A/200A MINI CURRENT CLAMP SET FOR PQ	I20/200A CLAMP PQ3
I20/200A CLAMP PQ4, 4-PHASE 20A/200A MINI CURRENT CLAMP SET FOR PQ	I20/200A CLAMP PQ4
3000/6000A FLEX 4,3000A/6000A 36-INCH FLEXI PROBE 4 PHASE	3000/6000A FLEX 4
17433/44 POLESET, POLE MOUNTING KIT FOR 1743/44	1743/44 POLESET
C435 HARDCASE	TRANSIT CASE

Change #3

On page 15, under **Connecting the Logger** add the following text and Figure:

- **To avoid shock or personal injury, keep fingers behind the tactile barrier, see the figure.**



cab01.eps

Using the Optional Microclamps

On page 56, under Total power delete the following text:

- 2 ½ wattmeter method